

**TO: DEVELOPMENT MANAGEMENT- PLANNING AND
TRANSPORTATION**
**FROM: ENVIRONMENTAL HEALTH AND TRADING
STANDARDS**



APPLICATION DETAILS

370775 / 223865

Hereford Quarries, Lugg Bridge, Hereford, Herefordshire, HR1 3NG

Mrs P Long, Environmental Health Officer

I have received the above application on which I would be grateful for your advice.

The application form and plans for the above development can be viewed on the Internet within 5-7 working days using the following link: <http://www.herefordshire.gov.uk>

I would be grateful for your advice in respect of the following specific matters: -

	Air Quality		Minerals and Waste
	Contaminated Land		Petroleum/Explosives
	Landfill		Gypsies and Travellers
X	Noise		Lighting
	Other nuisances		Anti Social Behaviour
	Licensing Issues		Water Supply
	Industrial Pollution		Foul Drainage
	Refuse		

Please can you respond by ..

Comments

My comments are from a noise nuisance perspective.

I have no objections to this application but suggest that we re-word the current noise condition to read as follows:

The noise emitted from the site shall not exceed the background noise level (LA90, T) by more than 10dBA during the permitted working hours. The noise levels (LAeq, T) shall be determined at the nearest residential noise-sensitive premises. The measurements and assessment shall be made in accordance with BS 4142:2014.

Reason: To safeguard the amenity of the area so as to comply with Policy SD1 of Herefordshire Local Plan – Core Strategy and the National Planning Policy Framework.

Signed: Mrs Phillipa Long

Date:15/02/23