

From: John Needham [<mailto:johnneedham@btconnect.com>]

Sent: 20 November 2017 13:42

To: Tansley, Mark <mttansley@herefordshire.gov.uk>

Cc: 'Blair, Ruth' <Ruth.Blair@balfourbeatty.com>

Subject: RE: Aymestrey adj to village hall - road gullies.pdf

Mark

No the site is just over a metre below road level and slopes towards the river.

John

From: Tansley, Mark [<mailto:mttansley@herefordshire.gov.uk>]

Sent: 20 November 2017 13:28

To: John Needham <johnneedham@btconnect.com>

Subject: RE: Aymestrey adj to village hall - road gullies.pdf

So no water from site into them

From: John Needham [<mailto:johnneedham@btconnect.com>]

Sent: 20 November 2017 13:14

To: Tansley, Mark <mttansley@herefordshire.gov.uk>; 'Blair, Ruth' <Ruth.Blair@balfourbeatty.com>

Subject: Aymestrey adj to village hall - road gullies.pdf

Dear Mark and Ruth

I have been to the site and I have marked the gullies on the survey with a "G". There appear to be 3 on the other side of the road which have manholes behind them which suggest to me that there is a drain in the verge on the other side of the road into which they all drain. I am sure at some point it crosses over and discharges into the field or perhaps to the river. There is another gulley equidistant towards Mortimers Cross which suggests to me that the drain goes on past our development site boundary. It may be that Highways know what happens to the storm water.

I trust this helps.

regards

John

John Needham Associates

22 Broad Street

Ludlow

Shropshire

SY8 1NG

Telephone 01584 872112

Mobile 07811 451137

Email: johnneedham@btconnect.com

“Any opinion expressed in this e-mail or any attached files are those of the individual and not necessarily those of Herefordshire Council, Herefordshire Clinical Commissioning Group (HCCG), Wye Valley NHS Trust or 2gether NHS Foundation Trust. You should be aware that Herefordshire Council, Herefordshire Clinical Commissioning Group (HCCG), Wye Valley NHS Trust & 2gether NHS Foundation Trust monitors its email service. This e-mail and any attached files are confidential and intended solely for the use of the addressee. This communication may contain material protected by law from being passed on. If you are not the intended recipient and have received this e-mail in error, you are advised that any use, dissemination, forwarding, printing or copying of this e-mail is strictly prohibited. If you have received this e-mail in error please contact the sender immediately and destroy all copies of it.”