From: Hayley White Sent: 14 April 2025 08:09

To: Bailey, Josh < Joshua. Bailey@herefordshire.gov.uk >

Subject: 243209 - Land at New Inn, St Owens Cross- GW4_36836860

Good morning, Josh,

As per your emails with my colleague Jackie Webb regards planning application: 243209 - Land at New Inn, St Owens Cross

Our engineer has provided the additional comments:

I can confirm the document titled "Email exchange with agent 26/3/25" has been reviewed. However, National Gas Transmission requires a formal "Do Not Advice Against" response from the HSE's LUP application before the proposed development can be considered for further review.

Please note that National Gas Transmission will typically support the HSE's advice however, the HSE's LUP methodology differs from National Gas Transmissions risk assessment methodology. Therefore, following review of the HSE's response, National Gas Transmission may also require that the developer conducts further assessments (on safety grounds) in form of a Quantitative Risk Assessment (QRA) with an approved specialist company.

Further guidance for consultation zones around a Major Accident Hazard Pipeline can be found at: https://www.hse.gov.uk/landuseplanning

It is the Local Authority & Developer's responsibility to ensure that the requirements of Land Use Planning (LUP) are adhered to.

The objection will remain in place until an appropriate response from the HSE's LUP application is offered to National Gas Transmission for review and National Gas Transmission's risk assessment methodology requirements are satisfied.

thanks

Kind regards

Hayley White Asset Protection Assistant box.assetprotection@nationalgas.com



National Gas Transmission, Warwick Technology Park, Gallows Hill, Warwick, CV34 6DA nationalgas.com I Twitter I LinkedIn

Please consider the environment before printing this email.

This e-mail, and any attachments are strictly confidential and intended for the addressee(s) only. The content may also contain legal, professional or other privileged information. If you are not the intended recipient, please notify the sender immediately and then delete the e-mail and any attachments. You should not disclose, copy or take any action in reliance on this transmission.

You may report the matter by contacting us via our National Gas Transmission Contacts Page.

Please ensure you have adequate virus protection before you open or detach any documents from this transmission. National Gas Transmission and its affiliates do not accept any liability for viruses. An e-mail reply to this address may be subject to monitoring for operational reasons or lawful business practices.

For the registered information on National Gas Transmission please use the attached link: https://nationalgas.com/about-us/corporate-registrations.