

**TO: DEVELOPMENT MANAGEMENT- PLANNING AND
TRANSPORTATION
FROM: ENVIRONMENTAL HEALTH AND TRADING
STANDARDS**



APPLICATION DETAILS

162022 / P143110/CU
Wold Farm, Cradley, Malvern, Herefordshire, WR13 5LF
Susannah Burrage, Environmental Health Officer

I have received the above application on which I would be grateful for your advice.
The application form and plans for the above development can be viewed on the Internet within 5-7 working days using the following link: <http://www.herefordshire.gov.uk>

I would be grateful for your advice in respect of the following specific matters: -

	Air Quality		Minerals and Waste
	Contaminated Land		Petroleum/Explosives
	Landfill		Gypsies and Travellers
	Noise		Lighting
	Other nuisances		Anti Social Behaviour
	Licensing Issues		Water Supply
	Industrial Pollution		Foul Drainage
	Refuse		

Please can you respond by ..

Comments

Due to the close proximity of neighbouring agricultural buildings, I recommend a condition which restricts the use of any residential premises to either a family member or agricultural worker associated with the main farm at Wold Farm.

Informative

The development may mean that non mains drinking water is necessary for the scheme. All new non-mains water supplies must be wholesome and comply with the standards set out in the Private Water Supplies Regulations 2009.

Signed: Susannah Burrage
Date: 27 October 2014