

Site Name:	The Potting Shed, Hereford, HR4 0LA
Site Reference No:	
Report Ref No:	
Assessor Name:	Mr R Britton
Assessor Certification Number:	STRO007409
Issue Date:	10/03/2020



Whilst every care is taken in preparing this tool, Stroma Certification cannot accept responsibility for any inaccuracies or for consequential loss incurred as a result of such inaccuracies arising through the use of the tool.

Wat 1 - October 2008- Indoor Water Use				1	2	3	4	5	6	7	8	9	10
Dwelling Reference:				1-9 Inc									
Installation Type	Installation Item			Number within Dwelling Type	Number within Dwelling Type	Number within Dwelling Type	Number within Dwelling Type	Number within Dwelling Type	Number within Dwelling Type	Number within Dwelling Type	Number within Dwelling Type	Number within Dwelling Type	Number within Dwelling Type
WC	WC Type	Full Flush (litres capacity)	Part Flush (litres capacity)										
	1)	4.00	2.60	2.00									
	2)												
	3)												
Consumption - litres/person/day:				14.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Bidet	Bidet present?	2.64											
	Consumption - litres/person/day:			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Wash Hand Basin Taps	Type 1 - Flow Rate - litres/min:	3.00		2.00									
	Type 2 - Flow Rate - litres/min:												
	Type 3 - Flow Rate - litres/min:												
	Consumption - litres/person/day:			15.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Shower	Type 1 - Flow Rate - litres/min:	5.00		1.00									
	Type 2 - Flow Rate - litres/min:												
	Type 3 - Flow Rate - litres/min:												
	Consumption - litres/person/day:			15.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Bath	Type 1 - Capacity to overflow:	140.00		1.00									
	Type 2 - Capacity to overflow:												
	Type 3 - Capacity to overflow:												
	Capacity to overflow:			22.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kitchen Sink Taps	Type 1 - Flow Rate - litres/min:	5.00		1.00									
	Type 2 - Flow Rate - litres/min:												
	Type 3 - Flow Rate - litres/min:												
	Consumption - litres/person/day:			26.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
White Goods	Washing Machine												
	Typical Flow Rate - Litres/cycle:	49.00											
	Actual Type 1 - User Input - litres/cycle:	35.00		1									
	Consumption - litres/person/day:			11.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Dishwasher												
	Typical Flow Rate - Litres/cycle:	13.00											
Water Softener	Actual Type 1 - User Input - litres/cycle:	11.00		1.00									
	Consumption - litres/person/day:			3.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Is a water softener present?												
	Average number of regeneration cycles per day												
	Litres of water used per regeneration cycle												
	% of total capacity used per regeneration												
	Is the water softener a centralised system serving a group of dwellings?												
	Go to Occupancy Calculation (Central water softeners only)						Enter Number of Bedrooms						
	No. of occupants:			0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
	Volume of water used beyond 4% - litres/person/day:			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Consumption - litres/person/day:			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	Net Internal Water Consumption:			109.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	Rainwater Collection Saving:			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	Greywater Recycling Saving:			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Gross Internal Water Consumption - litres/person/day:			109.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Credits Achieved:			2.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Level Achieved:			Level 1/2	-	-	-	-	-	-	-	-	-