



Lead abutment refer to detail drawing 7970-01.

Lead parapet gutter detail.

existing sloping pediment weathered in copper to be removed and replaced with lead.

Parapet gutter refer to drawing 7970-01 for detail.

Rendered cornice.

Existing slate covering and roof structure to be renewed.
(existing slates to set aside for re use)

NOTE: Indicative lead details show clay tiles. Contractor to ensure slate tiles are used/reused in repair works and lead flashings, weatherings are carried out to the latest requirements of the Lead Sheet Association..

0mm 200 400 800
SCALE: 1:20

REVISIONS

All dimensions to be checked on site. Immediately report any discrepancies, errors or omissions on this document to the originator. If in doubt ask.



hookmason consulting

Hook Mason Limited
Studio2, Thorn Office Centre,
Rotherwas, Hereford.
HR2 6JT
t. 01432 352299
f. 01432 352272
e. info@hookmason.co.uk
w. hookmason.co.uk

MR J RAI

THE ROYAL OAK, LEOMINSTER

SECTION D-D - LEAD BOX GUTTER DETAIL

SCALE @ A1
1:20 Approx
DO NOT SCALE FROM THIS DRAWING
DATE
09.03.22
DRAWN BY SL
CHECKED BY FIL
DRAWING NO.
7970-06

South St