

FOUL WATER MANHOLE SCHEDULE 1 OF 2

MH No.	MANHOLE DIAMETER (mm)	MANHOLE TYPE	COVER LEVEL (m)	INVERT LEVEL (m)	DEPTH TO SOFFIT (m)	EASTING (m)	NORTHING (m)
EX MH	1200	Type 2	86.500	84.170	2.105	347566.860	258266.376
F1	1200	Type 2	84.563	93.100	1.313	347531.007	258760.086
F2	1200	Type 2	94.465	92.900	1.415	347539.338	258765.104
F3	1200	Type 2	94.281	91.450	2.681	347554.062	258788.560
F4	1200	Type 2	94.317	91.330	2.837	347559.800	258781.702
F5	1200	Type 2	93.930	91.060	2.720	347584.762	258749.797
F6	1200	Type 2	93.883	92.400	1.333	347554.313	258708.493
F7	1200	Type 2	93.865	92.210	1.505	347578.451	258722.934
F8	1200	Type 2	93.755	90.945	2.660	347595.584	258736.440
F9	1200	Type 2	93.472	90.758	2.564	347613.173	258714.525
F10	1200	Type 2	93.183	90.565	2.468	347631.214	258691.894
F11	1200	Type 2	93.086	90.505	2.431	347636.445	258684.480
F12	1200	Type 2	93.024	90.436	2.438	347638.666	258675.927
F13	1200	Type 2	92.658	90.331	2.177	347645.444	258660.144
F14	1200	Type 2	92.402	90.249	2.004	347653.391	258650.691
F15	1200	Type 2	91.973	90.080	1.743	347673.819	258635.809
F16	1200	Type 2	91.618	89.888	1.580	347656.964	258612.488
F17	1200	Type 2	91.477	89.811	1.516	347648.085	258605.144
F18	1200	Type 2	93.050	91.500	1.400	347582.506	258657.407
F19	1200	Type 2	91.982	90.335	1.497	347603.938	258614.990
F20	1200	Type 2	91.488	89.581	1.757	347618.195	258588.921
F21	1200	Type 2	94.273	92.800	1.323	347480.526	258754.004
F22	1200	Type 2	94.088	92.610	1.328	347487.146	258740.389
F23	1200	Type 2	93.506	92.295	1.061	347506.733	258698.483
F24	1200	Type 2	93.329	91.750	1.429	347514.384	258677.709
F25	1200	Type 2	93.149	91.600	1.399	347519.281	258660.228
F26	1200	Type 2	92.934	91.450	1.334	347526.355	258638.957
F27	1200	Type 2	92.779	91.200	1.429	347533.675	258622.754
F28	1200	Type 2	92.062	90.800	1.112	347550.123	258587.690
F29	1200	Type 2	91.588	89.185	2.253	347565.688	258559.947
F30	1200	Type 2	91.212	89.016	2.046	347543.382	258547.899
F31	1200	Type 2	91.030	88.944	1.935	347536.854	258539.323
F32	1200	Type 2	90.855	88.869	1.837	347534.079	258528.339
F33	1200	Type 2	90.681	88.725	1.806	347536.798	258518.175
F34	1200	Type 2	91.901	90.400	1.351	347726.170	258631.291
F35	1200	Type 2	91.112	89.600	1.362	347726.107	258607.272
F36	1200	Type 2	90.898	89.400	1.348	347727.412	258599.166
F37	1200	Type 2	90.688	89.200	1.338	347732.579	258585.369
F38	1200	Type 2	90.816	88.885	1.781	347691.445	258562.481
F39	1200	Type 2	90.693	89.100	1.443	347667.574	258567.745
F40	1200	Type 2	90.558	88.760	1.648	347675.465	258553.742
F41	1200	Type 2	90.402	88.475	1.777	347638.038	258533.255
F42	1200	Type 2	90.836	88.230	2.456	347605.943	258515.785
F43	1200	Type 2	90.150	87.830	2.170	347553.645	258487.420
F44	1200	Type 2	90.607	87.525	2.932	347513.921	258465.932
F45	1200	Type 1B	91.163	87.225	3.788	347474.784	258444.595
F46	1200	Type 2	94.642	93.100	1.392	347428.331	258652.287
F47	1200	Type 2	94.399	92.675	1.574	347458.127	258661.779
F48	1200	Type 2	93.959	92.370	1.439	347466.688	258636.672
F49	1200	Type 2	93.538	91.945	1.443	347478.016	258605.970
F50	1200	Type 2	94.127	91.580	2.397	347426.933	258587.964
F51	1200	Type 2	94.138	91.455	2.490	347416.862	258580.968
F52	1200	Type 2	93.435	91.229	2.056	347426.884	258541.781
F53	1200	Type 2	92.557	90.800	1.607	347438.084	258499.709
F54	1200	Type 2	91.883	90.325	1.408	347446.412	258466.814
F55	1200	Type 2	91.647	90.125	1.372	347449.890	258455.124
F56	1200	Type 1B	91.323	87.030	4.068	347458.135	258439.176

FOUL WATER MANHOLE SCHEDULE 2 OF 2

MH No.	MANHOLE DIAMETER (mm)	MANHOLE TYPE	COVER LEVEL (m)	INVERT LEVEL (m)	DEPTH TO SOFFIT (m)	EASTING (m)	NORTHING (m)
F57	1200	Type 1B	91.361	86.965	4.171	347451.857	258432.142
F58	1200	Type 1B	91.220	86.780	4.215	347426.959	258420.081
F59	1200	Type 2	95.137	93.500	1.487	347355.780	258578.445
F60	1200	Type 2	94.925	93.250	1.525	347358.198	258567.953
F62	1200	Type 2	92.476	90.800	1.526	347384.929	258464.762
F63	1200	Type 2	91.137	89.500	1.487	347395.663	258425.080
F64	1200	Type 1B	90.892	86.585	4.082	347399.605	258411.731
F65	1200	Type 1B	90.292	86.350	3.717	347408.670	258377.304
F66	1200	Type 1B	89.920	86.210	3.485	347414.225	258357.345
F67	1200	Type 1B	89.888	85.850	3.813	347460.644	258366.219
F68	1200	Type 2	85.700	84.540	0.935	347493.584	258258.364
F69	1200	Type 2	85.700	84.475	1.000	347506.298	258259.067
F70	1200	Type 2	94.172	92.600	1.422	347405.531	258580.396
F71	1200	Type 2	91.750	89.405	2.195	347594.651	258575.784
F72	1200	Type 2	92.842	91.300	1.392	347529.292	258626.234
F73	1200	Type 2	93.438	91.850	1.438	347514.166	258688.669

SURFACE WATER MANHOLE SCHEDULE 1 OF 2

MH No.	MANHOLE DIAMETER (mm)	MANHOLE TYPE	COVER LEVEL (m)	INVERT LEVEL (m)	DEPTH TO SOFFIT (m)	EASTING (m)	NORTHING (m)
HW1	Headwall		—	76.600	—	347040.485	258079.892
HD1	1200	Type 2	93.439	91.950	1.264	347654.961	258704.920
HD2	1200	Type 2	93.139	91.500	1.414	347680.636	258688.228
HD3	1200	Type 2	92.852	91.050	1.502	347694.237	258665.227
HD4	1200	Type 2	92.651	90.400	1.951	347732.629	258648.533
HD5	1200	Type 2	92.371	90.850	1.221	347754.616	258638.889
HD8	1200	Type 2	92.236	90.700	1.236	347684.919	258650.440
HD9	1350	Type 2	92.064	89.860	1.904	347677.781	258642.270
S1	1200	Type 2	94.557	92.500	1.832	347531.616	258762.211
S2	1200	Type 2	94.462	91.915	2.247	347539.959	258767.348
S3	1350	Type 1B	94.318	90.700	3.243	347557.271	258781.739
S4	1200	Type 2	93.710	91.800	1.610	347538.068	258701.934
S5	1200	Type 2	93.941	91.355	2.286	347568.884	258719.194
S6	1350	Type 2	93.834	90.925	2.534	347580.717	258727.054
S7	1350	Type 1B	93.763	90.225	3.088	347592.974	258736.896
S8	1350	Type 2	93.427	90.035	2.942	347613.952	258710.651
S9	1350	Type 2	93.143	89.860	2.833	347631.971	258688.179
S10	1350	Type 2	92.982	89.766	2.766	347637.209	258675.250
S11	1350	Type 2	92.645	89.656	2.539	347644.497	258658.324
S12	1500	Type 2	92.457	89.516	2.416	347650.789	258650.874
S13	1500	Type 2	91.968	89.000	2.368	347668.976	258635.369
S14	1500	Type 2	91.609	88.816	2.193	347653.494	258612.468
S15	1500	Type 2	91.446	88.737	2.108	347644.064	258605.417
S16	1200	Type 2	93.267	91.200	1.842	347598.326	258668.863
S17	1200	Type 2	93.241	91.200	1.816	347559.755	258648.143
S18	1200	Type 2	93.102	90.810	1.992	347579.309	258658.232
S19	1200	Type 2	92.054	89.800	1.954	347601.229	258617.021
S20	1500	Type 2	91.501	88.516	2.385	347615.928	258659.802
S21	1200	Type 2	94.311	92.300	1.711	347477.088	258755.757
S22	1200	Type 2	93.486	91.750	1.436	347506.111	258695.547
S23	1350	Type 2	93.346	91.340	1.631	347512.381	258678.386
S24	1350	Type 2	92.950	90.730	1.845	347523.917	258640.949
S25	1350	Type 2	92.818	90.450	1.993	347532.770	258620.903
S26	1350	Type 2	92.102	89.910	1.817	347547.472	258589.005

SURFACE WATER MANHOLE SCHEDULE 2 OF 2

MH No.	MANHOLE DIAMETER (mm)	MANHOLE TYPE	COVER LEVEL (m)	INVERT LEVEL (m)	DEPTH TO SOFFIT (m)	EASTING (m)	NORTHING (m)
S27	1800	Type 2	91.553	87.897	2.831	347562.767	258561.399
S28	1800	Type 2	91.238	87.753	2.660	347544.172	258550.863
S29	1800	Type 2	91.062	87.674	2.563	347535.728	258542.426
S30	1800	Type 2	90.884	87.592	2.466	347531.928	258530.829
S31	1800	Type 2	90.720	87.510	2.385	347533.546	258519.585
S32	1200	Type 2	91.913	89.900	1.713	347724.245	258632.466
S33	1350	Type 2	90.974	88.900	1.699	347724.865	258602.033
S34	1350	Type 2	90.744	88.500	1.794	347730.589	258586.195
S35	1200	Type 2	90.927	89.000	1.627	347659.280	258586.195
S36	1500	Type 2	90.538	87.745	2.193	347672.030	258554.257
S37	1500	Type 2	90.405	87.367	2.438	347638.817	258535.836
S38	1500	Type 1B	90.944	86.953	3.391	347602.316	258515.650
S39	1200	Type 2	89.852	87.800	1.752	347561.679	258468.718
S40	1800	Type 1B	90.174	85.986	3.288	347550.619	258487.814
S41	1800	Type 1B	90.645	85.762	3.983	347511.100	258466.649
S42	1800	Type 1B	91.208	85.539	4.769	347472.062	258445.136
S43	1200	Type 2	94.651	92.600	1.751	347428.969	258654.041
S44	1200	Type 2	94.435	92.100	2.035	347455.755	258662.870
S45	1350	Type 2	93.920	91.400	2.145	347466.344	258633.313
S46	1200	Type 2	93.275	91.150	1.825	347499.057	258616.390
S47	1350	Type 2	93.558	90.590	2.518	347475.918	258607.065
S48	1200	Type 2	94.177	91.800	2.077	347404.057	258581.765
S49	1350	Type 1B	94.059	89.745	3.864	347413.837	258582.418
S50	1500	Type 1A	93.507	89.145	3.837	347424.193	258544.797
S51	1500	Type 1B	92.701	88.645	3.531	347434.062	258505.978
S52	1500	Type 1B	91.847	87.930	3.392	347445.054	258464.426
S53	1500	Type 1B	91.608	87.720	3.363	347448.911	258452.512
S54	1800	Type 1B	91.345	85.452	4.993	347455.386	258439.949
S55	1800	Type 1B	91.394	85.405	5.089	347449.693	258432.665
S56	1800	Type 1B	91.210	85.268	5.042	347424.808	258420.916
S57	1200	Type 2	94.886	92.400	2.261	347360.702	258570.421
S59	1200	Type 2	92.764	90.200	2.339	347381.284	258471.280
S60	1200	Type 2	91.271	88.650	2.396	347392.553	258428.759
S61	2100	Type 1A	90.939	84.974	4.915	347397.269	258412.694
S62	2100	Type 1A	90.338	84.798	4.490	347406.634	258378.795
S63	2100	Type 1A	89.820	84.677	4.093	347412.632	258355.199
S64	2100	Type 1A	89.711	84.450	4.211	347456.327	258363.723
S65	2100	Type 2	85.753	83.330	1.373	347488.405	258259.343
S66	2100	Type 2	85.300	82.970	1.280	347413.420	258209.119
S67	2100	Type 2	85.400	82.540	1.810	347315.128	258165.843
S68	2100	Type 2	85.600	82.155	2.395	347222.829	258141.800
S69	2100	Type 2	81.500	79.125	1.325	347122.191	258126.143
S70	2100	Type 2	80.250	77.875	1.325	347036.562	258114.485
S72	1200	Type 1B	80.982	75.660	5.022	346951.231	258082.949
S73	1200	Unknown	81.788	75.260	6.228	346857.735	258046.958
S74	1200	Unknown	81.759	74.930	6.529	346781.698	258015.649
S75	1200	Type 1B	80.000	74.560	5.140	346693.606	257987.243
S76	1200	Type 1B	79.250	74.445	4.505	346674.942	257966.524
S77	1200	Type 1B	77.926	74.245	3.381	346630.236	257945.146
S78	1200	Type 1B	77.993	74.125	3.568	346606.647	257962.836
S79	1200	Type 2	72.671	71.000	1.371	346518.144	257934.387
S80	1200	Type E	71.136	70.100	0.736	346446.103	257911.229
S81	Headwall	-	71.000	69.750	-	346438.955	257898.134
S82	1200	Type 2	93.943	91.100	2.618	347544.784	258797.231
S83	1350	Type 1B	94.145	90.017	3.678	347424.500	258589.159
S84	1350	Type 2	92.896	90.499	2.022	347528.288	258624.453
S85	1200	Type 2	93.406	91.598	1.508	347512.651	258686.675
S71HB	-	-	79.300	76.000	3.300	347035.349	258089.285