

Ladygrove Cottage - 2 No Front Windows 2No end windows (sized to fit)

scale 1-10

supported with triple secondary glazing
and airway to keep inside of window dry

1.5" x 4.5" oak frame

(0.12 carbon) worked iron casement window

30mm x 10mm frame

20mm x 10mm central bar


15mm x 10mm deviding bars

Spiked & pip hinges

Purpose formed catch to match original
935mm

window bar sections- enlarged X 10 - to full scale

scale 1 - 10



external glazing formed
in 16mm iron rebate

enlarged to scale 1-2
HEREFORDSHIRE CC
PLANNING SERV
DEVELOPMENT COM


29 JUL 2021

To: _____
Ack'd: _____ File: _____

Left window 976W x 1125H

Right window 974W x 1130H

Top view
1.5" x 4.5" oak frame



1120mm



catch




enlarged to scale 1 - 2

cill



section A-A through cill
1" x 1" mortice & pegged tenon



Designed to overcome past problems of:-
Distortion
Build up of paint
Hinge & fitting failures
Excessive corrosion

× Lady Grove Cottage
Iron Window details
Scale 1 to 10
June 2021
Drg. cbt Lg. 25r

iron externally glazed casement
in 10 x 18mm deep rebate

stay hook outside
iron handle inside
Airway (Draft) to keep inside of window dry