From: Carlisle, Heather Sent: 06 October 2022 09:03

To: 'Ben Fox' <ben.fox@planware.co.uk>

Subject: RE: 222314 - Land at Gloucester Road, Ross on Wye: update from drainage colleagues: case

officer email 6/10

Good morning Ben,

Yesterday I was in communication with my drainage colleagues. Can you confirm that your client (McDonalds) has permission to connect into the neighbouring private Surface Water (SW) drainage system (I think this could be Edenstone). Until I have confirmation on this then drainage colleagues are unable to advise/comment further.

I am of the understanding that a legal agreement between the two parties, will be required. Also I am unsure whether the neighbouring site (residential) have designed and constructed their SW drainage network to accommodate the SW runoff from this (McDonalds) site?

These discussions will need to be facilitated by your team and your client. I look forward to hearing from you so I can update my drainage colleagues. Please can you confirm anticipated timescales of when you will be able to provide a reply?

Kind regards, Heather

Heather Carlisle BSc (Hons) MA, MRTPI Principal Planning Officer - Major Applications Team Economy and Environment Directorate Development Management

Personal Contact Details: 01432 260453 Heather.Carlisle@herefordshire.gov.uk

Main Council Switchboard: 01432 260000 General Planning Enquiries: planning enquiries@herefordshire.gov.uk



Please consider the environment - Do you really need to print this E-Mail?

Any opinion expressed in this e-mail or any attached files are those of the individual and not necessarily those of Herefordshire Council. This e-mail and any files transmitted with it are confidential and intended solely for the use of the addressee. This communication may contain material protected by law from being passed on. If you are not the intended recipient and have received this e-mail in error, you are advised that any use, dissemination, forwarding, printing or copying of this e-mail is strictly prohibited. If you have received this e-mail in error, please contact the sender immediately and destroy all copies of it.