

**TO: DEVELOPMENT MANAGEMENT- PLANNING AND
TRANSPORTATION
FROM: ENVIRONMENTAL HEALTH AND TRADING
STANDARDS**



APPLICATION DETAILS

328347 / 210773

Lafarge Redland Aggregates, Haywood Lane, Marden, Herefordshire, HR4 8BY

Susannah Burrage, Environmental Health Officer

I have received the above application on which I would be grateful for your advice.

The application form and plans for the above development can be viewed on the Internet within 5-7 working days using the following link: <http://www.herefordshire.gov.uk>

I would be grateful for your advice in respect of the following specific matters: -

<input type="checkbox"/>	Air Quality	<input type="checkbox"/>	Minerals and Waste
<input type="checkbox"/>	Contaminated Land	<input type="checkbox"/>	Petroleum/Explosives
<input type="checkbox"/>	Landfill	<input type="checkbox"/>	Gypsies and Travellers
<input type="checkbox"/>	Noise	<input type="checkbox"/>	Lighting
<input type="checkbox"/>	Other nuisances	<input type="checkbox"/>	Anti Social Behaviour
<input type="checkbox"/>	Licensing Issues	<input type="checkbox"/>	Water Supply
<input type="checkbox"/>	Industrial Pollution	<input type="checkbox"/>	Foul Drainage
<input type="checkbox"/>	Refuse	<input type="checkbox"/>	
<input type="checkbox"/>		<input type="checkbox"/>	

Please can you respond by ..

Comments

Our department has received a request to discharge condition 17 of planning application 193618 which relates to a requirement for a Noise Management Plan.

A plan has been submitted and I consider that condition 17 can be discharged.

Signed: Susannah Burrage

Date: 18 March 2021